


HTCN[®] WALL SOCKETS









HTB1331 63A 3P 6H 10pcs/ctn



SPECIFICATIONS :

IP 67 Wall Sockets		
Poles	6h Amper	Voltage
3	HTN1331	230V 50a.60Hz
4	HTN1341	400V 50a.60Hz
5	HTN1351	400V 50a.60Hz

HTB1341 63A 4P 6H 10pcs/ctn




Current	63A		
	3	4	5
a	171	171	171
b	170	170	170
c	230	230	230
d	118	118	118
e	135	135	135
f	105	105	105
Cable size(mm ²)	6~25		


HTB1351 63A 5P 6H 10pcs/ctn



Dimension



HTCN[®] WALL SOCKETS



- HTB113-4 16A 3P 4H 40pcs/ctn
- HTB123-4 32A 3P 4H 40pcs/ctn



- HTB113 16A 3P 6H 40pcs/ctn
- HTB123 32A 3P 6H 40pcs/ctn



- HTB114 16A 4P 6H 40pcs/ctn
- HTB124 32A 4P 6H 40pcs/ctn



- HTB115 16A 5P 6H 40pcs/ctn
- HTB125 32A 5P 6H 40pcs/ctn




SPECIFICATIONS :

IP 44 Wall Sockets					
Poles	4h Amper	Voltage	Poles	6h Amper	Voltage
3	HTB113-4	110V 50a.60Hz	3	HTB113/123	230V 50a.60Hz
	HTB123-4	110V 50a.60Hz	4	HTB114/124	400V 50a.60Hz
			5	HTB115/125	400V 50a.60Hz

Current Pole	16A			32A		
	3	4	5	3	4	5
a	117	117	118.5	120	120	119
b	142	142.5	114.5	156	156	158
c	84.4	84.4	84.4	84.4	84.4	84.4
d	60	60	60	60	60	60
e	52	52	52	52	52	52
Cable size(mm ²)	1.5~4			2.5~10		

Dimension



HTCN[®] PLUGS

3P

2P+E

4P

3P+E

5P

3P+N+E

110V

50 a. 60Hz

230V

50 a. 60Hz

400V

50 a. 60Hz

Dimension



- HTN013-4 16A 3P 4H 100pcs/ctn
- HTN023-4 32A 3P 4H 100pcs/ctn

IP 44 Plugs								
Voltage	110V 50a.60Hz							
Pole	3P							
Current	16A				32A			
	a 120	b 57	c 15	d 53.5	a 150	b 80.5	c 22	d 72
Cable size(mm ²)	1~2.5				2.5~6			



- HTN013 16A 3P 6H 100pcs/ctn
- HTN023 32A 3P 6H 60pcs/ctn

IP 44 Plugs								
Voltage	230V 50a.60Hz							
Pole	3P							
Current	16A				32A			
	a 120	b 57	c 15	d 53.5	a 150	b 80.5	c 22	d 72
Cable size(mm ²)	1~2.5				2.5~6			



- HTN014 16A 4P 6H 100pcs/ctn
- HTN024 32A 4P 6H 60pcs/ctn

IP 44 Plugs								
Voltage	400V 50a.60Hz							
Pole	4P							
Current	16A				32A			
	a 125	b 67.5	c 15	d 61	a 150	b 80.5	c 22	d 72
Cable size(mm ²)	1~2.5				2.5~6			



- HTN015 16A 5P 6H 60pcs/ctn
- HTN025 32A 5P 6H 60pcs/ctn


IP 44 Plugs								
Voltage	400V 50a.60Hz							
Pole	5P							
Current	16A				32A			
	a 133	b 75.5	c 17	d 68	a 155	b 89.5	c 22	d 79.5
Cable size(mm ²)	1~2.5				2.5~6			

HTCN[®] PLUGS









HTN0331 63A 3P 6H 10pcs/ctn



SPECIFICATIONS :

IP 67 Plugs		
Poles	6h Amper	Voltage
3	HTN0331	230V 50a.60Hz
4	HTN0341	400V 50a.60Hz
5	HTN0351	400V 50a.60Hz

HTN0341 63A 4P 6H 10pcs/ctn




Current	63A		
	3	4	5
a	260	260	260
b	113.5	113.5	113.5
c	32	32	32
Cable size(mm ²)	6~16		

HTN0351 63A 5P 6H 10pcs/ctn



Dimension



HTCN[®] COUPLERS

3P

2P+E

4P

3P+E

5P

3P+N+E

110V
50 a. 60Hz

230V
50 a. 60Hz

400V
50 a. 60Hz

Dimension



- HTN213-4 16A 3P 4H 100pcs/ctn
- HTN223-4 32A 3P 4H 60pcs/ctn

IP 44 Couplers

Voltage	110V 50a.60Hz							
Pole	3P							
Current	16A				32A			
	a 130	b 75.6	c 15	d 52	a 162	b 94	c 22	d 64.6
Cable size(mm ²)	1~2.5				2.5~6			



- HTN213 16A 3P 6H 100pcs/ctn
- HTN223 32A 3P 6H 60pcs/ctn

IP 44 Couplers

Voltage	230V 50a.60Hz							
Pole	3P							
Current	16A				32A			
	a 130	b 75.6	c 15	d 52	a 162	b 94	c 22	d 64.6
Cable size(mm ²)	1~2.5				2.5~6			



- HTN214 16A 4P 6H 100pcs/ctn
- HTN224 32A 4P 6H 60pcs/ctn

IP 44 Couplers

Voltage	400V 50a.60Hz							
Pole	4P							
Current	16A				32A			
	a 135	b 83	c 15	d 58	a 162	b 94	c 22	d 64.6
Cable size(mm ²)	1~2.5				2.5~6			



- HTN215 16A 5P 6H 60pcs/ctn
- HTN225 32A 5P 6H 60pcs/ctn

IP 44 Couplers


Voltage	400V 50a.60Hz							
Pole	5P							
Current	16A				32A			
	a 142	b 89.5	c 17	d 62.8	a 163.5	b 100	c 22	d 71
Cable size(mm ²)	1~2.5				2.5~6			

HTCN[®] COUPLERS









• HTN2331 63A 3P 6H 10pcs/ctn



SPECIFICATIONS :

IP 67 Couplers		
Poles	6h Amper	Voltage
3	HTN2331	230V 50a.60Hz
4	HTN2341	400V 50a.60Hz
5	HTN2351	400V 50a.60Hz

• HTN2341 63A 4P 6H 10pcs/ctn



Current	63A		
	3	4	5
a	260	260	260
b	113.5	113.5	113.5
c	32	32	32
d	111	111	111
Cable size(mm ²)	6~16		

• HTN2351 63A 5P 6H 10pcs/ctn



Dimension

